

MATERIAL SAFETY DATA SHEET

PRODUCT NUMBER: 11 10 62 + 11 10 64

SECTION 1

PRODUCT IDENTIFICATION AND MANUFACTURE

- 1.1 Product identifier PRODUCT: Epo-Set Epoxy Hardener Registration number Not available
- <u>1.2 Recommended use of the chemical and restrictions on use</u> Product Use / Restriction: Component used for the manufacture of electrical insulation parts
- 1.3 Details of the supplier of the safety data sheet
 SUPPLIER
 METPREPLIER

OUT LIET.	
	Unit 1, Falkland Close
	Charter Avenue
	COVENTRY CV4 8AU
CONTACT:	sales@metprep.co.uk

1.4 Emergency telephone numberTELEPHONE:024 7642 1222

SECTION 2

Hazards Identification

Classification according to Directive 1999/45/EC [DPD] The product is classified as dangerous according to Directive 1999/45/EC and its amendments.

Classification :	C; R34 R43 R52/53
	Causes burns. May cause sensitisation by skin contact. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Additional information: According to Directive 99/45/EC, Article 6, Paragraph 1b, classification derived from direct toxicological testing of the preparation take precedence over classification derived from using the conventional (calculation) method.

See Section 11 for more detailed information on health effects and symptoms.

See Section 16 for the full text of the R phrases or H statements declared above.

2.2 Label elements



Hazard pictograms

Signal word: Hazard statements: Danger Causes severe skin burns and eye damage. May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.



Precautionary statements

General	: Not applicable.				
Prevention	: Wear protective gloves: > 8 hours (breakthrough time): Ethyl Vinyl Alcohol Laminate (EVAL), butyl rubber. Wear eye or face protection. Wear protective clothing. Avoid release to the environment.				
Response	: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or physician. IF SWALLOWED: Immediately call a POISON CENTER or physician. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Immediately call a POISON CENTER or physician. IF IN EYES: Immediately call a POISON CENTER or physician.				
Storage	: Store locked up.				
Disposal	: Dispose of contents and container in accordance with all local, regional, national and international regulations.				
Hazardous ingredients: triethylenetetramine, propoxylated					

triethylenetetramine

Supplemental label elements: Not applicable.

Special packaging requirements

Containers to be fitted : Not applicable with child-resistant fastenings.

Tactile warning of danger: Not applicable.

2.3 Other hazards

Other hazards which do : None known. not result in classification

SECTION 3

COMPOSITION / INFORMATION ON INGREDIENTS

3.2 Mixtures : Mixture

			Class	sification	
Product/Ingredient Name	Identifiers	%	67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	Туре
TRIETHYLENETETRAMINE PROPOXYLATED	Cas: 26950-63-0	60-100	Xi; R41,R38	Acute Tox. 4, H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412 Acute Tox. 4, H302	[1]
trientine	CAS: 112-24-3 EC: 203-950-6	13-30	Xn; R21/22 C; R34 R43 R52/53 See Section 16 for the full text of the	Acute Tox. 4, H312 Skin Corr. 1B, H314 Eye Dam, 1, H318 Skin Sens. 1, H317 Aquatic Chronic 3, H412 See Section 16 for the full text of the H statements declared	[1]
			Rphrases declared above.	above.	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.



Туре

[1] Substance classified with a health or environmental hazard

- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

[5] Substance of equivalent concern

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4 FIRST AID MEASURES

4.1. Description of first aid measures

- **Eye contact:** Get medical attention immediately. Call a poison centre or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.
- Inhalation: Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth to mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48hours.
- **Skin contact:** Get medical attention immediately. Call a poison centre or physician. Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
- Ingestion: Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
- Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects Eve contact : Causes serious eve

- Eye contact
 : Causes serious eye damage

 Inhalation
 : May give off gas, vapor or dust that is very irritating or corrosive to the respiratory system.

 Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
- **Skin contact** : Causes severe burns. May cause an allergic skin reaction.
- **Ingestion** : May cause burns to mouth, throat and stomach.

Over-exposure signs/symptoms

- Eye contact : Adverse symptoms may include the following: pain watering redness
- Inhalation : No specific data.



Skin contact : Adverse symptoms may include the following: pain or irritation redness blistering may occur									
Ingestion	Ingestion : Adverse symptoms may include the following: stomach pains								
4.3. Indication	of any immedia	ate medical attention and special treatment needed							
Notes to physi Specific treatn	The ex	e of inhalation of decomposition products in a fire, symptoms may be delayed. posed person may need to be kept under medical surveillance for 48 hours. pomatic treatment and supportive therapy as indicated. Following severe							
Specific fleating		ure the patient should be kept under medical review for at least 48 hours.							
SECTION	5	FIRE FIGHTING MEASURES							
5.1. Extinguish Suitable exting media:		: Use an extinguishing agent suitable for the surrounding fire.							
Unsuitable ext media	inguishing	: None known.							
5.2. Special ha	zards arising f	rom the substance or mixture							
Hazards from t substance or r		: In a fire or if heated a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.							
Hazards therm decomposition		: Decomposition products may include the following materials: Carbon dioxide Carbon monoxide nitrogen oxides							
5.3. Advice for	firefighters								
Special precau	itions for	: Promptly isolate the scene by removing all persons from the vicinity of the							

fire-fighters incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Special protective equipment : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure

for fire-fighters mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. personnel Do not touch or walk through spilt material. Do not breathe vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".



6.2 Environmental precautions: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil, or air). Water polluting material. May be harmful to the environment if released in large quantities.

6.3. Methods and material for containment and cleaning up

- Small spill : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
 Large spill : Stop leak if without risk. Move containers from spill area. Approach the release from
- Large spill : Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product.

6.4. Reference to other sections: See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7 HANDLING AND STORAGE

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1. Precautions for safe handling

Protective measures: Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not breathe vapour or mist. Do not ingest. Avoid release to the environment. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Keep away from acids. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general : Eating, drinking, and smoking should be prohibited in areas where this

occupational hygiene

material is handled, stored, and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2. Conditions for safe storage,

including any incompatibilities:

Store between the following temperatures: 2 to 40°C (35.6 to 104°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool, and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Separate from acids. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

Storage hazard class

Huntsman Advanced Materials: Storage class 8, Corrosive substances



7.3. Specific end use(s

: Not available.

: Not available.

Recommendations Industrial sector specific solutions

SECTION 8

EXPOSURE CONTROL/PERSONAL PROTECTION

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

8.1. Control parameters

Occupational exposure limits

No exposure limit value known.

Recommended monitoring procedures: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

Derived effect levels

Product/ingredient name	Туре	Exposure	Value	Population	Effects
Trientine	DNEL	Short term inhalation	5380 mg/m3	Workers	Systemic
	DNEL	Long term Dermal	0.57 mg/kg bw/day	Workers	Systemic
	DNEL	Long term inhalation	1mg/,3	Workers	Systemic
	DNEL	Long term Dermal	0.028 mg/m3	Workers	Local
	DNEL	Short term Dermal	8 mg/kg bw/day	Consumers	Systemic
	DNEL	Short term inhalation	1600mg/m3	Workers	Systemic
	DNEL	Short term Oral	20 mg/kg bw/day	Consumers	Systemic
	DNEL	Short term Dermal	1 mg/cm2	Consumers	Local
	DNEL	Short term Dermal	0.25 mg/kg bw/day	Consumers	Local
	DNEL	Long term inhalation	0.29 mg/m3	Consumers	Systemic
	DNEL	Long term Oral	0.41 mg/kg bw/day	Consumers	Systemic
	DNEL	Long term Dermal	0.43 mg/cm2	Consumers	Local

Predicted effect concentrations

Product/ingredient name Trientine	Type PNEC PNEC PNEC PNEC PNEC PNEC PNEC	Compartment Detail Fresh water Fresh water sediment Marine PNEC intermittent Marine water sediment Soil (agricultural) Sewage Treatment Plant	Value 190 ug/L 95.9 mg/Kg 38 ug/L 200 ug/L 19.2 mg/kg 19.1 mg/kg 4.25 mg/L	Method detail Assessment Factors Equilibrium Partitioning Assessment Factors Assessment Factors Equilibrium Partitioning Equilibrium Partitioning Assessment Factors
	PNEC PNEC	0	4.25 mg/L 0.18 mg/kg	Assessment Factors Assessment Factors

8.2. Exposure controls

Appropriate Engineering controls : If user operations generate dust, fumes, gas, vapour, or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Individual protection measures

Hygiene measures: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.



Eye/face protection:	Safety eyewear complying with an approved standard should be used when a risk
	assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases
	or dusts. If contact is possible, the following protection should be worn, unless the
	assessment indicates a higher degree of protection: chemical splash goggles and/or face
	shield. If inhalation hazards exist, a full-face respirator may be required instead.

Skin protection

Hand protection: Chemical-resistant, impervious gloves complying with an approved standard should always be worn when handling chemical products if a risk assessment indicates this is necessary.

Material of gloves for long term application (BTT>480min): Ethyl Vinyl Alcohol Laminate (EVAL), butyl rubber

Material of gloves for short term/splash application (10min <BTT<480min): (BTT = Break Through Time)

- **Nitrile rubber** Use gloves approved to relevant standards e.g. EN 374 (Europe), F739 (US). Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material and dexterity. Always seek advice from glove suppliers. Additional information can be found for instance at www.gisbau.de.
- **Body protection:** Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- **Respiratory protection:** In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
- **Environmental exposure controls:** Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9

PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic phy	sical and chemical properties
<u>Appearance</u>	
Physical state:	Liquid.
Colour:	Clear.
Odour:	Amine-like.
Odour threshold:	Not available.
pH:	12 [Conc. (% w/w): 50%]
Melting point/freezing point:	Not available.
Initial boiling point and boilin	ig range: >200°C
Flash point:	Closed cup: 152°C [DIN 51758 EN 22719 (Pensky-Martens Closed Cup)]
Evaporation rate:	Not available.
Flammability (solid, gas) :	Not available.
Burning time:	Not applicable.
Burning rate:	Not applicable.
Upper/lower flammability ore	xplosive limits: Not available.
Vapour pressure:	0.0001 kPa [room temperature]
Vapour density:	Not available.
Relative density	Not available.
Solubility(ies)	
Water solubility:	miscible 20 deg C
Other:	Miscible in water.
Partition coefficient: n-octane	bl/water (LogKow): Not available.
Auto-ignition temperature:	Not available.
Decomposition temperature :	>200°C



Viscosity :

Explosive properties: Oxidising properties :

<u>9.2. Other information</u> Density: Dynamic (25°C): 365 - 460 mPa·s Kinematic: Not available. Kinematic (40°C): Not available. Not available. Not available.

1 to 1.05 g/cm3 [25°C (77°F)]

SECTION 10 STABILITY AND REACTIVITY PROPERTIES

10.1. Reactivity: ingredients.	:No specific test data related to reactivity available for this product or its
10.2. Chemical stability	:The product is stable.
10.3. Possibility of	:Under normal conditions of storage and use, hazardous reactions will not occur.
Hazardous reactions	
10.4. Conditions to avoid	:No specific data.
10.5. Incompatible materials	:Strong acids, strong bases, strong oxidising agents
10.6. Hazardous	:Under normal conditions of storage and use, hazardous decomposition products
decomposition products	should not be produced.
	Decomposition products may include the following materials: Carbon oxides, Nitrogen oxides, Burning produces obnoxious and toxic fumes.

SECTION 11

TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute Toxicity

Product/Ingredient name TRIETHYLENETETRAMINE, PROPOXYLATED			Endpoint LD50 Dermal LD50 Oral		Species RAT RAT				Result >2150 mg/kg >4500 mg/kg		
TRIETHYLENETETRAMINE, PROPOXYLATED			YLATED	LD50 De	ermal	Rab	bbit		>	>1000 mg/kg >2000 mg/kg	
Trientine				LD50 Dermal		Rabbit-Male, Female RAT-Male, Female		1	1465.4 mf/kg 1716.2 mf/kg		
Conclusion/Summary		: No ac	ditional informat	ion.							
Acute toxicity estimat	es	:Not av	vailable.								
Irritation/Corrosion Product/Ingredient na	me	Test				ę	Species		ite of osure	Result	
Trientine			405 Acute Eye ir 404 Acute Derma				Rabbit Rabbit	Skin Eye		Corrosive Corrosive	
Conclusion/Summary Skin Eyes Respiratory	:Trienti :Trienti	ne	Corrosive to the Corrosive to the nformation								
<u>Sensitiser</u> Product/Ingredient na	me		Test		Route		Speci	es	Resu	lt	
TRIETHYLENETETRAMINE, PROPOXYLATED Trientine		-			Expos Skin	sure	Guinea	Guinea pig		Sensitising	
		OECD	406 Skin Sensiti	ization	Skin	Pag	Guinea ge 8 of 14	pig		sitising sed 18.08.20	



Conclusion/Su Skin Respiratory								
Mutagenicity Product/Ingred Trientine	OEC DNA Unsc Mam	thesis in o	Result Negative					
		D 474 Mammalian onucleus Test	Erythrocyte	Negative				
Conclusion/Su	Immary :Trientine	The weight of th genotoxic.	ne scientific evid	ence indicate	es that this m	aterial is non-		
Carcinogenicit Product/Ingred Exposure			Species	Exposure	Result	Route of		
Trientine	OECD	451 Carcinogenici	ty Mouse	3 days/wk	Negative	Dermal		
Conclusion/Su	Immary : No additio	nal information						
	Immary : Trientine		with column 2 of test for this prop			tion (EC) No es not need to be		
TeratogenicityProduct/Ingredient nameTesttrientineOECD 414 Prenatal De Toxicity StudyOECD 414 Prenatal De Toxicity StudyOECD 414 Prenatal De Toxicity Study				Species Rat	Result/Res >750 mg/kg I 125 mg/kg I	NOAEL		
Conclusion/Su	Immary : No additio	nal information						
Specific target	organ toxicity (singl	e exposure)	Not available.					
Specific target	organ toxicity (repea	ated exposure)	Not available.					
Aspiration haz	ard		Not available.					
Information or	the likely routes of e	exposure	Not available.					
Potential acute	e health effects							
Inhalation								
Ingestion :	May cause burns to n	nouth, throat and s	stomach.					
Skin contact :	Causes severe burns	. May cause an all	ergic skin reacti	on.				
Eye contact :	Eye contact : Causes serious eye damage.							
Symptoms rela	ated to the physical, o	chemical and tox	icological chara	acteristics				
Inhalation	: No specific data.							
Ingestion	Ingestion : Adverse symptoms may include the following: stomach pains							



Skin contact : Adverse symptoms may include the following: pain or irritation redness blistering may occur blistering may occur Eye contact : Adverse symptoms may include the following: pain watering redness redness			
Delayed and i	mmediate	effects and also chronic effects from short and long term exposure	
Short term exponential imm	ediate eff		
Potential dela	yed effect	s : Not available.	
<u>Long term exp</u> Potential imm		ects : Not available.	
Potential dela	yed effect	s : Not available.	
Potential chro Product/ingre trientine			
Conclusion/S	ummary:	No additional information	
General	:	Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.	
Carcinogenici	ty :	No known significant effects or critical hazards.	
Mutagenicity :	Mutagenicity : No known significant effects or critical hazards.		
Teratogenicity	eratogenicity: No known significant effects or critical hazards.		
Developmenta	velopmental effects: No known significant effects or critical hazards.		
Fertility effect	Fertility effects : No known significant effects or critical hazards.		
Other information : Not available.			

SECTION 12

ECOLOGICAL INFORMATION

12.1. Toxicity

Product/ingredient name		Endpoint	Exposure	Species	Res	
Trientine	No official guidelines	Acute EC50	30minutes Static	Bacteria	800	mg/l
	EU EC C.2 Acute Toxicity for Daphnia	Acute EC50	48 hours Static	Daphnia	31.1	g/l
	OECD 201 Alga, Growth Inhibition Test	Acute ErC50 (growth rate)	72 hours Semistatic	Algae	20	mg/l
	EPA OPPTS EPA OTS 797 1400	. Acute LC50	96 hours Static	Fish	330	mg/l
	No official guidelines	Chronic EC10	30 minutes Static	Bacteria	42.5	mg/l
	OECD OECD 202: Part II (Daphnia sp., Reproduction Test	Chronic EC10	21 days Semistatic	Daphnia	1.9	mg/l
	OECD 201 Alga, Growth Inhibition Test	Chronic NOECr	72 hours Semistatic	Algae	<2.5	mg/l



12.2 Persistence and degradability

12.2 Persistence and degrad				Dariad	Beault
Product/ingredient name trientine	Test OECD 302A In SCAS Test	herent Biodegra	dability: Modified	Period 84 days	Result 20 %
	OECD 301D Re Bottle Test	eady Biodegrada	ability – Closed	162 days	0 %
Conclusion/Summary	: trientine	Not bic	odegradable		
12.3 Bioaccumulative potent	ial				
Product/ingredient name Trientine	LogPo -2.65	w	BCF 99	Potential low	
<u>12.4. Mobility in soil</u> Soil/water partition coefficier	nt (KOC):	Not available.			
Mobility:		Not available.			
12.5. Results of PBT and vPv	B assessment:	Not available.			
12.6. Other adverse effects	:No known sigr	nificant effects or	critical hazards.		

12.7 Other ecological information

SECTION 13 DISPOSAL CONSIDERATIONS

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1. Waste treatment methods Product

Method of disposal : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Hazardous wasteWaste: Yes

European waste catalogue (EWC)		
Waste code	Waste designation	
07 02 04*	other organic solvents, washing liquids and mother liquors	
Packaging		
Methods of disposal :	The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.	
Special precautions :	This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of	

SECTION 14

TRANSPORT INFORMATION

spilt material and runoff and contact with soil, waterways, drains and sewers.

	<u>14.1. UN </u> number	14.2. UN proper shipping name
ADR/RID	UN2259	TRIETHYLENETETRAMINE SOLUTION
IMDG	UN2259	TRIETHYLENETETRAMINE SOLUTION
ΙΑΤΑ	UN2259	TRIETHYLENETETRAMINE SOLUTION



14.3. Transport hazard class (es) ADR/RID, IMDG, IATA Transport class: 8 14.4. Packing group ADR/RID, IMDG, IATA Packing group: ш 14.5. Environmental hazards ADR/RID, IMDG, IATA No



14.6. Special precautions for user

Transport within user's premises: ADR/RID, IMDG, IATA Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Additional information

Hazard identification number 80 Tunnel code ADR/RID. Е IMDG, Emergency schedules (EmS) F-A S-B Passenger and Cargo Aircraft Quantity limitation: 1 L Packaging instructions: 851 IATA Cargo Aircraft Only Quantity limitation: 30 L Packaging instructions: 855

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:

Not applicable.

SECTION 15 REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

This product is compliant with the REACH Regulation EC 1907/2006. Huntsman has pre-registered and is registering all of the substances that it manufactures in or imports into the European Economic Area (EEA) that are subject to Title II of the REACH Regulation.

Annex XIV - List of substances subject to authorisation

Annex XIV Substances of very high concern Annex XVII - Restrictions on the manufacture, : placing on the market and use of certain dangerous substances, mixtures and articles		omponents are listed omponents are listed.
Other EU regulations		
Europe inventory :		All components are listed or exempted.
Blacklist Chemicals :	Not lis	sted
Priority List Chemicals :		Not listed
Integrated pollution prevention and control list (IP	PC) – Air :	Not listed
Integrated pollution prevention and control list (IP		Not listed

National regulations

The provision of Safety Data Sheets comes under Regulation 6 of CHIP (CHIP is the recognised References : abbreviation for the Chemicals Hazard Information and Packaging Regulations). This is an addition to the Health and Safety at Work Act 1974.

Australia inventory (AICS) :

Canada inventory : China inventory (IECSC) :

Japan inventory :

Korea inventory (KECI) :

New Zealand Inventory of Chemicals (NZIoC) :

Philippines inventory (PICCS) :

United States inventory (TSCA 8b) :

Chemical Weapons Convention List Schedule I Chemicals : **Chemical Weapons Convention List Schedule II Chemicals : Chemical Weapons Convention List Schedule III Chemicals :** All components are listed or exempted. Listed All components are listed or exempted.

All components are listed or exempted Not listed Not listed Not listed



15.2 Chemical Safety Assessment:

This product contains substances for which Chemical Safety Assessments are still required.

SECTION 16	OTHER INFORMATION		
Indicates information that has	hanged from previously issued version.		
Abbreviations and Acronyms	: ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement PNEC = Predicted No Effect Concentration RRN = REACH Registration Number		
Procedure used to derive the	classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]		
Classification Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Chronic 3, H412	Justification Calculation method Calculation method On basis of test data Calculation method		
Full text of abbreviated H statements			
Full text of classifications [CLP/GHS]	Acute Tox. 4, H302ACUTE TOXICITY: ORAL - Category 4Acute Tox. 4, H312ACUTE TOXICITY: SKIN - Category 4Aquatic Chronic 3,H412 LONG-TERM AQUATIC HAZARD - Category 3Eye Dam. 1, H318SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1Skin Corr. 1B, H314SKIN CORROSION/IRRITATION - Category 1BSkin Irrit. 2, H315SKIN CORROSION/IRRITATION - Category 2Skin Sens. 1, H317SKIN SENSITIZATION - Category 1		
Full text of abbreviated R p	R21/22- Harmful in contact with skin and if swallowed. R34- Causes burns. R41- Risk of serious damage to eyes. R38- Irritating to skin. R43- May cause sensitisation by skin contact. R52/53- Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.		
Full text of classifications: [DSD/DPD]	C - Corrosive Xn - Harmful Xi – Irritant		
(M)SDS no.	: 00055632		
SDS Creation Date:	August 2020		
SDS Revision Date:	October 2019		



Notice to reader

While the information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.